

Taylor, Chimin

From: Rafter, Susan
Sent: Wednesday, July 27, 2005 10:36 AM
To: Taylor, Chimin
Subject: here is your patent abstract

File 351:Derwent WPI 1963-2005/UD,UM &UP=200547

(c) 2005 Thomson Derwent

***File 351: For more current information, include File 331 in your search.**

Enter HELP NEWS 331 for details.

```
Set  Items  Description
---  -
? s pn=wo 200112885
    S1      1  PN=WO 200112885
? t 1/9
```

1/9/1

DIALOG(R)File 351:Derwent WPI

(c) 2005 Thomson Derwent. All rts. reserv.

013781566

WPI Acc No: 2001-265777/ 200127

XRAM Acc No: C01-080392

High strength polyethylene fiber for cut fibers, ropes, nets, bullet proof and protective clothing, protective gloves, concrete and helmets, comprises high molecular weight polyethylene

Patent Assignee: TOYO BOSEKI KK (TOYM); TOYOBOKK (TOYM)

Inventor: OKANO T; NOMURA Y; KONISHI C O T B K K; OHTA C O T B K K;

SAKAMOTO C O T B K K; KONISHI T; MIYASAKA T; NAKAHASHI J; OHTA Y;

SAKAMOTO G

Number of Countries: 023 Number of Patents: 036

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
WO 200112885	A1	20010222	WO 2000JP1774	A	20000323	200127	B
EP 1126052	A1	20010822	EP 2000911305	A	20000323	200149	
			WO 2000JP1774	A	20000323		
KR 2001073205	A	20010731	KR 2001704523	A	20010410	200209	
CN 1320177	A	20011031	CN 2000801673	A	20000323	200215	
JP 2001516966	X	20030311	WO 2000JP1774	A	20000323	200319	
			JP 2001516966	A	20000323		
EP 1335046	A1	20030813	EP 2000911305	A	20000323	200355	
			EP 20036185	A	20000323		
EP 1335047	A1	20030813	EP 2000911305	A	20000323	200355	
			EP 20036186	A	20000323		
EP 1335048	A1	20030813	EP 2000911305	A	20000323	200355	
			EP 20036187	A	20000323		
EP 1335049	A1	20030813	EP 2000911305	A	20000323	200355	
			EP 20036188	A	20000323		
US 6605348	B1	20030812	WO 2000JP1774	A	20000323	200355	
			US 2001806685	A	20010404		
EP 1126052	B1	20030903	EP 2000911305	A	20000323	200360	
			WO 2000JP1774	A	20000323		
			EP 20036185	A	20000323		
			EP 20036186	A	20000323		
			EP 20036187	A	20000323		
			EP 20036188	A	20000323		
US 20030203203	A1	20031030	WO 2000JP1774	A	20000323	200372	
			US 2001806685	A	20010404		
			US 2003404852	A	20030402		

US 20030203204	A1	20031030	WO 2000JP1774	A	20000323	200372
			US 2001806685	A	20010404	
			US 2003404758	A	20030402	
DE 60004960	E	20031009	DE 4960	A	20000323	200374
			EP 2000911305	A	20000323	
			WO 2000JP1774	A	20000323	
US 20030207074	A1	20031106	WO 2000JP1774	A	20000323	200374
			US 2001806685	A	20010404	
			US 2003404835	A	20030402	
US 20030211321	A1	20031113	WO 2000JP1774	A	20000323	200382
			US 2001806685	A	20010404	
			US 2003404853	A	20030402	
ES 2204536	T3	20040501	EP 2000911305	A	20000323	200431
EP 1335046	B1	20040602	EP 2000911305	A	20000323	200441
			EP 20036185	A	20000323	
EP 1335047	B1	20040602	EP 2000911305	A	20000323	200441
			EP 20036186	A	20000323	
EP 1335048	B1	20040602	EP 2000911305	A	20000323	200441
			EP 20036187	A	20000323	
EP 1335049	B1	20040602	EP 2000911305	A	20000323	200441
			EP 20036188	A	20000323	
DE 60011308	E	20040708	DE 11308	A	20000323	200445
			EP 20036185	A	20000323	
DE 60011309	E	20040708	DE 11309	A	20000323	200445
			EP 20036186	A	20000323	
DE 60011310	E	20040708	DE 11310	A	20000323	200445
			EP 20036187	A	20000323	
DE 60011311	E	20040708	DE 11311	A	20000323	200445
			EP 20036188	A	20000323	
US 6770362	B2	20040803	US 2000806685	A	20000323	200451
			WO 2000JP1774	A	20000323	
			US 2003404758	A	20030402	
US 6770363	B2	20040803	US 2000806685	A	20000323	200451
			WO 2000JP1774	A	20000323	
			US 2003404852	A	20030402	
JP 2004285557	A	20041014	JP 2001516966	A	20000323	200467
			JP 2004172777	A	20040610	
JP 2004293030	A	20041021	JP 2001516966	A	20000323	200469
			JP 2004172778	A	20040610	
JP 2004308105	A	20041104	JP 2001516966	A	20000323	200472
			JP 2004172779	A	20040610	
JP 2004308106	A	20041104	JP 2001516966	A	20000323	200472
			JP 2004172780	A	20040610	
ES 2220898	T3	20041216	EP 20036187	A	20000323	200506
ES 2220899	T3	20041216	EP 20036188	A	20000323	200506
DE 60011310	T2	20050616	DE 11310	A	20000323	200540
			EP 20036187	A	20000323	
DE 60011311	T2	20050616	DE 11311	A	20000323	200540
			EP 20036188	A	20000323	
DE 60011308	T2	20050623	DE 11308	A	20000323	200541
			EP 20036185	A	20000323	

Priority Applications (No Type Date): JP 99284529 A 19991005; JP 99227662 A 19990811; JP 99249065 A 19990902; JP 99254581 A 19990908; JP 99284528 A 19991005

Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
-----------	------	-----	----	----------	--------------

WO 200112885	A1	J	42	D01F-006/04	
--------------	----	---	----	-------------	--

Designated States (National): CN JP KR US

Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE

EP 1126052	A1	E		D01F-006/04	Based on patent WO 200112885
------------	----	---	--	-------------	------------------------------

Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

KR 2001073205	A			D01F-006/04	
---------------	---	--	--	-------------	--

CN 1320177	A			D01F-006/04	
------------	---	--	--	-------------	--

JP 2001516966	X			D01F-006/04	Based on patent WO 200112885
---------------	---	--	--	-------------	------------------------------

EP 1335046 A1 E D01F-006/04 Div ex application EP 2000911305
Div ex patent EP 1126052
Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI
LU MC NL PT SE

EP 1335047 A1 E D01F-006/04 Div ex application EP 2000911305
Div ex patent EP 1126052
Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI
LU MC NL PT SE

EP 1335048 A1 E D01F-006/04 Div ex application EP 2000911305
Div ex patent EP 1126052
Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI
LU MC NL PT SE

EP 1335049 A1 E D01F-006/04 Div ex application EP 2000911305
Div ex patent EP 1126052
Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI
LU MC NL PT SE

US 6605348 B1 D01F-006/00 Based on patent WO 200112885

EP 1126052 B1 E D01F-006/04 Related to application EP 20036185
Related to application EP 20036186
Related to application EP 20036187
Related to application EP 20036188
Related to patent EP 1335046
Related to patent EP 1335047
Related to patent EP 1335048
Related to patent EP 1335049
Based on patent WO 200112885
Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI
LU MC NL PT SE

US 20030203203 A1 B32B-013/02 Div ex application WO 2000JP1774
Div ex application US 2001806685
Div ex patent US 6605348

US 20030203204 A1 D02G-003/00 Div ex application WO 2000JP1774
Div ex application US 2001806685
Div ex patent US 6605348

DE 60004960 E D01F-006/04 Based on patent EP 1126052
Based on patent WO 200112885

US 20030207074 A1 B32B-005/12 Div ex application WO 2000JP1774
Div ex application US 2001806685
Div ex patent US 6605348

US 20030211321 A1 D02G-003/00 Div ex application WO 2000JP1774
Div ex application US 2001806685
Div ex patent US 6605348

ES 2204536 T3 D01F-006/04 Based on patent EP 1126052

EP 1335046 B1 E D01F-006/04 Div ex application EP 2000911305
Div ex patent EP 1126052
Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI
LU MC NL PT SE

EP 1335047 B1 E D01F-006/04 Div ex application EP 2000911305
Div ex patent EP 1126052
Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI
LU MC NL PT SE

EP 1335048 B1 E D01F-006/04 Div ex application EP 2000911305
Div ex patent EP 1126052
Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI
LU MC NL PT SE

EP 1335049 B1 E D01F-006/04 Div ex application EP 2000911305
Div ex patent EP 1126052
Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LI
LU MC NL PT SE

DE 60011308 E D01F-006/04 Based on patent EP 1335046

DE 60011309 E D01F-006/04 Based on patent EP 1335047

DE 60011310 E D01F-006/04 Based on patent EP 1335048

DE 60011311 E D01F-006/04 Based on patent EP 1335049

US 6770362 B2 D01F-006/00 Div ex application US 2000806685
Div ex application WO 2000JP1774
Div ex patent US 6605348

US 6770363 B2 A41D-019/00 Div ex application US 2000806685

Div ex application WO 2000JP1774
 Div ex patent US 6605348
 Div ex application JP 2001516966
 Div ex application JP 2001516966
 Div ex application JP 2001516966
 Div ex application JP 2001516966
 Based on patent EP 1335048
 Based on patent EP 1335049
 Based on patent EP 1335048
 Based on patent EP 1335048
 Based on patent EP 1335049
 Based on patent EP 1335046

JP 2004285557 A 15 D07B-001/02
 JP 2004293030 A 15 D04G-001/00
 JP 2004308105 A 14 A41D-013/00
 JP 2004308106 A 15 A41D-019/00
 ES 2220898 T3 D01F-006/04
 ES 2220899 T3 D01F-006/04
 DE 60011310 T2 D01F-006/04
 DE 60011311 T2 D01F-006/04
 DE 60011308 T2 D01F-006/04

Abstract (Basic): **WO 200112885 A1**

NOVELTY - A high strength polyethylene fiber comprises a high molecular wt. polyethylene with a substantially ethylene repeating unit.

DETAILED DESCRIPTION - A high strength polyethylene fiber:

(a) comprises a high molecular wt. polyethylene with a repeating unit of substantially ethylene;

(b) has at least 5 limiting viscosity and 22 cN/dtex average strength; and either

(c) shows, in a temperature-rising DSC curve, at least one endothermic peak in the range 140-148degreesC (low temperature side) and at least one endothermic peak in the region of 148degreesC or higher (high temperature side); or

(d) has at least 100,000 frequency of friction until fiber break, in an abrasion test according to the B method for measuring abrasion resistance in the test method for general purpose spun yarn (JIS L 1095).

USE - For high strength polyethylene cut fibers (claimed) and staple fibers for non-woven cloth and spun yarn, ropes (claimed), nets (claimed), bullet proof and protective clothing (claimed), protective gloves (claimed), fiber-reinforced concrete products (claimed) and helmets (claimed).

ADVANTAGE - While having similar or higher strength and elastic modulus compared to conventional high strength polyethylene fibers, the fibers have excellent durability, and in particular abrasion resistance and extension and contraction fatigue resistance.

pp; 42 DwgNo 0/5

Technology Focus:

TECHNOLOGY FOCUS - TEXTILES AND PAPER - Preferred Fiber: The height ratio of the low temperature side maximum endothermic peak to the high temperature side maximum endothermic peak is 1.4:1.0 - 3.0:1.0 (esp. 1.5:1.0 - 2.9:1.0).

Title Terms: HIGH; STRENGTH; POLYETHYLENE; CUT; FIBRE; ROPE; NET; BULLET; PROOF; PROTECT; CLOTHING; PROTECT; GLOVE; CONCRETE; HELMET; COMPRISE; HIGH; MOLECULAR; WEIGHT; POLYETHYLENE

Derwent Class: A17; A83; A92; F01; P21; P73

International Patent Class (Main): A41D-013/00; A41D-019/00; B32B-005/12; B32B-013/02; D01F-006/00; D01F-006/04; D02G-003/00; D04G-001/00; D07B-001/02

International Patent Class (Additional): A41D-031/00; B29B-011/16; B29B-011-16; C04B-016/06; D02G-003/36; D04B-021/00; D04C-001/06

File Segment: CPI; EngPI

Manual Codes (CPI/A-N): A04-G02E; A12-C02; A12-P07; A12-R01A; A12-S05K; F01-D05; F02-E03; F04-A; F04-C06

Polymer Indexing (PS):

<01>

001 018; R00326 G0044 G0033 G0022 D01 D02 D12 D10 D51 D53 D58 D82; H0000; S9999 S1070-R; S9999 S1003; S9999 S1092 S1070; S9999 S1183 S1161 S1070; S9999 S1445; P1218 P1161; P1150

002 018; ND01; ND04; B9999 B4091-R B3838 B3747; B9999 B4171 B4091 B3838 B3747; B9999 B4182 B4091 B3838 B3747; B9999 B5094 B4977 B4740; B9999 Q7056-R; Q9999 Q7090 Q7056; Q9999 Q8548 Q8366; Q9999 Q7078 Q7056; K9905; B9999 B5572-R; B9999 B5367 B5276; B9999 B5287 B5276; B9999 B3918 B3838 B3747; Q9999 Q7001 Q6995; Q9999 Q6826-R; B9999 B3554-R; B9999 B3678 B3554; B9999 B4080 B3930 B3838 B3747; B9999

B5607 B5572; B9999 B5618 B5572; B9999 B5118 B5107 B4977 B4740

Susan Rafter, Senior Associate Librarian
Morrison & Foerster LLP
2000 Pennsylvania Ave. NW
Suite 5500
Washington DC 20006
phone 202-887-8744
fax 202-887-0763
srafter@mofo.com